



SilverPro AUTO

: 5.1, 5.2



!!!

!!!

-

-

,

,

.

(

, . .)

-

.

()

30 mA -

-

!

-

,

,

,

,

,

,

-

-

,

!

:

«SilverPro Auto»

:

•

•

•

.

(

)

(

)

•

•

•

.

-

(

),

.

,

•

.

•

,

(

)

(

)

SilverPro Auto

(

)

SilverPro Auto

:

10 ,

2 .

(,).

:

- — IP56
- - 220
- - 10
- / - 2
- Cu/ Ag — 2

(12), (Cu++)
(Ag++).

(), ()
().


0,5 – 0,7 / , 0,04-0,05 / (: 1 / , : 0,05 /).

(), - ,

«SilverPro Auto»

()


3
)
 « » "ACON"
 1




4
 11/30 (!!!
 2)




5
 ()
 "FILTRACIA"
 1
)
 10,5/20 ()



6
 11/30 — 10,5/20 — 8 —




7
) DIN 10x30 (30 / .



1. с SilverPro Auto

с :



«SET 220V» (1)


: « » « »

«NASOS 1» (2)

«PODOGREV»

2 « »

« »



«ДАТЧИК TERMO»

«ELEKTROD»

2.

(),

: , /

.*



- :
 - -
 - -
 - -
 - :
 - « » « » -
 - «ENT» -
 - «ESC» -

!!! «ESC»
 3-
 « » « »

2.2

1. :
 2. (ESC. (
 3. , ((
 4. , (-)
1. .

!!! :
 « » « »

2. () . **0000**
:

2.1

2.2 : (1-2), (1-)
2), (), ()

2.3

2.3.1 1 (/)

2.3.2 2 (/)

2.3.3 (1 300)

2.3.4 (/)

2.3.5 (1 99)

2.3.6 ()

2.4

2.5

3. () . **1111**

3.1

3.2 (PH, t)

3.3 (, u, g)

3.4 ()

3.5 (, Cu, Ag)

3.6 . (/)

3.7

3.7.1 (, ,)

3.7.2 (, ,)

3.7.3 1 (,)

3.7.4 2 (,)

3.7.5 (, ,)

3.7.6 (,)

3.8

3.8.1 (.)

3.8.2 1 (/)

3.8.3 2 (/)

3.8.4 (5)

3.8.5 (1)

3.8.6

3.8.7 (1)

3.8.8 (/)

3.8.9 (5)

3.9

3.10 ()

3.11 ()

3.12

3.13

3.14

3.

5.1

5.2

mini kombi-1) (mini cu-1 ,	mini kombi-1) (maxi cu-1 ,

4.

24

2

.. (499)400-40-33

.9

“ _____ ” 201_____ .

(499) 400-40-33 <http://www.acon.ru>